Firma: Player doo
Adresa: Cvijete Zuzorić 7
Telefon: 097 714 8673
Fax:
PIB: 89978048220
E-mail: info@player.hr

MACKIE ProFx6 V3 - mikseta bez snage



Šifra: 15479
Kategorija prozivoda: Miksete bez snage
Proizvođač: MACKIE

Cena: 175,00 EUR

Channels 1-2 offer combo XLR-1/4" mic/line connections and feature Hi-Z (for guitar and bass), low-cut filters (100 Hz), gain controls, 2-band EQ, stereo linking, level faders, and FX send. Channels 3-4 offer two 1/4" inputs and feature a level control, while channels 5-6 use a 3.5mm stereo input with level fader. Engaging channel 5-6's USB3-4 switch will override the 3.5" input and enables the USB return from a computer. The master output is controlled with a dedicated level knob and features XLR and 1/4" connectors, while the dedicated 1/4" TRS headphone output includes an independent level control. Other features include Input-USB 1-2 blend control, FX mute, and FX to main.

Features
Professional Sound Quality
Equipped with 2 Onyx Mic Pres offering up to 60 dB of gain and ultralow noise performance
All-new GigFX Effects Engine with 24 different FX options, from reverbs to delays and more
Essential Mixing Tools
2-band EQ (80 Hz and 12 kHz) on channels 1/2
Hi-Z switches allows direct connection of guitars, basses, and other instruments
100 Hz low-cut filter and 48V phantom power on all mic channels
Line inputs on channel 3/4
Stereo 1/8" input on channel 5/6
Headphone output with separate level and blend control
24-Bit / 192 kHz 2x4 USB Recording Interface
2x4 USB I/O allows you to create two custom mixes on your computer to send back in to the mixer
Perfect for live performance recording, music playback, live streaming, and more
Latency-Free Monitoring
Easily blend between monitoring your computer’s output and a direct feed from the mixer
Professional Production Content
Pro Tools | First and Waveform OEM professional software and plugin packages included
The Musician Collection for ProTools | First includes 23 plugins including 304 EQ, 304C Compressor, BBD Delay, Black Op Distortion, Black Shiny Wah, Black Spring Reverb, C1 Chorus, DC Distortion, Eleven Lite, Flanger, Graphic EQ, Gray Compressor, Green JRC Overdrive, In-Tune, Orange Phaser, Roto Speaker, Sci-Fi, Studio Reverb, Tape Echo, Tri Knob Fuzz, Vari-Fi, Vibe, Phaser, and White Boost
The DAW Essentials Bundle for Waveform OEM includes 16 powerful plugins like Equalizer, Compressor, Reverber8, and Limiter
Signature Rugged Design
Mackie built-like-a-tank design
Solid steel chassis protects your investment
Tough ABS side protection

Mixer
Number of Analog Input Channels 6

Number of Mic Preamps 2
Analog Output Channels 2 x Stereo Master Output
1 x Stereo Headphone Output
Meters Main Meter:
2 x 8-Segment LED
Meter Range Main Meter:
-24 dB to +14 dB Plus Peak/Clip
Signal Processing
EQ Parameters Low: ±15 dB at 80 Hz
High: ±15 dB at 12 kHz
Filters High-Pass: 100 Hz, 18 dB/Octave
Built-In Effects 24 x Preset (Factory)
Digital Audio
Bit Depth 24-Bit
Performance
Frequency Response Mic Input to Output:
20 Hz to 30 kHz +0/-1 dB (Unity Gain)
Max Input Level +22 dB
Output Level Main Output:
+28 dBu at Max Gain
All Other Output:
+22 dBu at Max Gain
I/O Impedance Mic Input:
3.8 Kilohms
Insert Return:
10 Kilohms
Line Input:
≥ 20 Kilohms
Headphone Output:
25 Ohms
Main Output:
120 Ohms (Unbalanced)
240 Ohms (Balanced)
Crosstalk Adjacent Inputs:
-90 dB at 1 kHz
Input to Output:
-80 dB at 1 kHz
Fader Off:
-75 dB at 1 kHz
Muted:
-90 dB at 1 kHz
CMRR 70 dB at Max Gain (1 kHz, Mic In to Main Out)
EIN -126 dBu at Max Gain (150-Ohm Input)
Noise Floor All Outputs:
-95 dBu (Master Level at -∞, Channel Levels at -∞)
-80 dBu (Master Level at Unity, One Channel Level at Unity)
THD+N Mic Input to Main Output:
< 0.03% (+4 dBu)
Connectivity
Phantom Power +48 V, Selectable On/Off (Applied to All Inputs)
USB 1 x USB Type-B (USB 2.0)
USB I/O Capacity 2 x Input / 4 x Output
Power
AC Input Power Universal:
100 to 240 VAC, 50 / 60 Hz
Power Supply Output 12 VDC at 2 A
Physical
Rack Mountable No
Dimensions 2.9 x 7.5 x 8.4" / 7.1 x 19 x 21.3 cm
Weight 2.6 lb / 1.2 kg
Packaging Info

Package Weight 4 lb
Box Dimensions (LxWxH) 19 x 13 x 9"

Cene su informativnog karaktera. Prodavac ne odgovara za tačnost cena iskazanih na sajtu, zadržava pravo izmena cena. Ponudu za ostale artikle, informacije o stanju lagera i aktuelnim cenama možete dobiti na upit. Plaćanje se isključivo vrši virmanski - bezgotovinski.