

logo not found or type unknown

Firma: Player doo
Adresa: Cvijete Zuzorić 7
Telefon: 097 714 8673
Fax:
PIB: 89978048220
E-mail: info@player.hr

NATIVE INSTRUMENTS TRAKTOR KONTROL S4 MK3- DJ kontroler

Šifra: 12921
Kategorija proizvoda: DJ kontroleri
Proizvođač: Native Instruments

Cena: 899,00 EUR

NATIVE INSTRUMENTS TRAKTOR KONTROL S4 MK3- DJ

SYSTEM REQUIREMENTS

macOS 11, 12, 13, 14 (latest update), iTunes 12 (lates

Windows 10, 11 (latest service pack), Intel Core i5 or e

SUPPORTED AUDIO FORMATS

MP3, WAV, AIFF, Audio-CD, FLAC, Ogg Vorbis, non-DRM AAC

GENERAL

Monitor with 1280 x 800 screen resolution, USB 2.0, 1 GB free disc space. An internet connection and a graphics card which supports OpenGL 2.1 or higher are required to download and activate TRAKTOR software. Once installed and activated, all products can be used offline.

SUPPORTED DRIVERS

Core Audio, WASAPI, ASIO, DirectSound

DIMENSIONS

542 mm / 339 mm / 60.5 mm
21.34" / 13.35" / 2.38"

HARDWARE SPECIFICATIONS

Audio Inputs (A/D)	
--------------------	--

Channels:	4 Stereo
Sample Rate / Resolution	96-kHz / 24-bit
Converter	Cirrus Logic CS5368
Line Inputs	
DNR (a-weighted)	110 dB
Frequency Response	20 Hz - 20 kHz, +0.1/- 0.05 dB
THD+N	0.002%
Mic Input	
DNR (a-weighted) @ 1 kHz	104 dB
Frequency response	20 Hz - 20 kHz, +0.04/- 2.7 dB
Phono Inputs	
Input Impedance	48.5kΩ
DNR (a-weighted) @ 1 kHz	78 dB
Audio Outputs (D/A)	
Channels	2 Stereo
Sample Rate / Resolution	96-kHz / 24-bit
Converter	Cirrus Logic CS4385

Line Outputs (XLR & 1/4" Booth)	
DNR (a-weighted)	110 dB
Frequency Response	20 Hz - 20 kHz, +0.4/- 0.2 dB
THD+N	0.001%
Line Outputs (RCA)	
DNR (a-weighted)	110 dB
Frequency Response	20 Hz - 20 kHz, +0.6/- 0.2dB
THD+N	0.001%
Headphone Output	
Load Impedance	33Ω
DNR (a-weighted)	104 dB
Frequency Response	20 Hz - 20 kHz, +0.4/- 0.3 dB