

logo not found or type unknown

Firma: Player doo  
Adresa: Cvijete Zuzorić 7  
Telefon: 097 714 8673  
Fax:  
PIB: 89978048220  
E-mail: info@player.hr

TASCAM DR-05XP  
Image not found or type unknown

**Key**

## TASCAM DR-05XP

Šifra: 20171

Kategorija proizvoda: Digitalni snimači

Proizvođač: TASCAM

**Cena: 154,00 EUR**

### Features

- 2-channel portable handheld audio recorder with up to 512GB microSDXC card storage
  - Flexible recording modes include 32-bit float / 24-bit / 16-bit, 96kHz / 48kHz / 44.1kHz and MP3
  - Omnidirectional condenser microphones handle loud environments and sources (up to 125dB SPL)
  - 2-in/2-out USB-C audio interface for recording directly to your computer
- Up to 17.5 hours of operation with 2 x AA alkaline batteries

### Additional Features

- microSDXC (up to 512GB) cards can be used as recording media
- USB Type-C port
- Stereo mini jack for external stereo microphones (provides plug-in power) / External line input
- Support multiple menu languages (ENG / FRA / DEU / ITA / ESP / RUS / PRT / JPN / CHI / KOR)
- Long recordings as MP3 files possible
- Various recording function (Auto rec, Self timer, Pre rec)
- Overdubbing function
- Limiter and Peak reduction
- Four low-cut filter levels (40 / 80 / 120 / 220Hz)
- Auto Tone output for use with DSLR camera
- Reverb effect for vocal and instrument resonance
- Mark function
- 128x64 pixel graphic LCD with backlight
- Tripod mounting point attaches to any standard tripod
- Stereo mini line output and headphone output
- Speed change (VSA) function for adjusting the speed from 0.5 to 2.0 times (in 0.1 increments)
- Playlist function
- Built-in monaural speaker makes it easy to check your recordings
- Chromatic tuner for tuning musical instruments before recording

### Recorder specifications

**Recording media/file systems:** microSD cards / microSDHC cards / microSDXC cards (up to 512 GB)

### Recording/playback formats

#### WAV (BWF):

Sampling frequency: 44.1 kHz / 48 kHz / 96 kHz

Quantization bit depth: 16-bit / 24-bit / 32-bit float

#### MP3:

Sampling frequency: 44.1 / 48 kHz

Quantization bit depth: 32 / 64 / 96 / 128 / 192 / 256 / 320 kbps

**Maximum number of input channels: 2**

**Maximum number of recordable tracks: 2**

### **Analog audio input/output ratings**

**MIC/EXT IN jack (can provide plug-in power)**

**Connector:** 3.5mm (1/8") stereo mini jack

**Input Impedance:**

- 18 k $\Omega$  or more (when plug-in power is turned off)
- 2 k $\Omega$  or more (when plug-in power is turned on)

**Nominal input level:** - 20 dBV

**Maximum input level:** -4 dBV

### **PHONES/LINE OUT jack**

**Connector:** 3.5mm (1/8") stereo mini jack

**Output impedance:** 12  $\Omega$

**Nominal output level:** - 14 dBV (10k $\Omega$  loaded)

**Maximum output level:** +2 dBV (10k $\Omega$  loaded)

**Maximum output:** 20 mW + 20 mW (32  $\Omega$  load)

b16 - 250 $\Omega$

### **Built-in Speaker**

**Output:** 0.3W (monaural)

### **USB**

**Connector:** US B Type-C

**Format:**

- USB 2.0 High Speed Mass Storage Class
- USB 1.1 Full Speed Audio Class

### **USB Audio**

**Sampling rate:** 44.1 / 48 kHz

**Quantization bit depth:** 24-bit

**Number of inputs:** 2 channels (output from this unit)

**Number of outputs:** 2 channels (input to this unit)

**General****Power:**

- 2AA batteries (alkaline or NiMH)
- USB bus power (5V/0.5A) from a computer, etc.
- TASCAM PS-P520U AC adapter (sold separately)

v1.7 W (maximum)

**Weight:**

- 174 g / 0.384 lb (including batteries)
- 126 g / 0.278 lb (not including batteries)

**Operating temperature range:** 0 - 40 °C / 32 - 104 °F

**Dimensions:** 60.5 x 142.3 x 27 mm (W x H x D, including protrusions)

**Included items:**

- DR-05XP x1
- Safety guide (including warranty) x1
- TASCAM ID registration guide x1