

TASCAM DR-05XP

Šifra: 20171

Kategorija proizvoda: Digitalni snimači

Proizvođač: TASCAM

Cena: 119,00 EUR



Features

- 2-channel portable handheld audio recorder with up to

512GB microSDXC card storage

- Flexible recording modes include 32-bit float / 24-bit / 16-bit, 96kHz / 48kHz / 44.1kHz and MP3
- Omnidirectional condenser microphones handle loud environments and sources (up to 125dB SPL)
- 2-in/2-out USB-C audio interface for recording directly to your computer
- Up to 17.5 hours of operation with 2 x AA alkaline batteries

Additional Features

- microSDXC (up to 512GB) cards can be used as recording media
- USB Type-C port
- Stereo mini jack for external stereo microphones (provides plug-in power) / External line input
- Support multiple menu languages (ENG / FRA / DEU / ITA / ESP / RUS / PRT / JPN / CHI / KOR)
- Long recordings as MP3 files possible
- Various recording function (Auto rec, Self timer, Pre rec)
- Overdubbing function
- Limiter and Peak reduction
- Four low-cut filter levels (40 / 80 / 120 / 220Hz)
- Auto Tone output for use with DSLR camera
- Reverb effect for vocal and instrument resonance
- Mark function
- 128×64 pixel graphic LCD with backlight
- Tripod mounting point attaches to any standard tripod
- Stereo mini line output and headphone output
- Speed change (VSA) function for adjusting the speed from 0.5 to 2.0 times (in 0.1 increments)
- Playlist function
- Built-in monaural speaker makes it easy to check your recordings
- Chromatic tuner for tuning musical instruments before recording

Recorder specifications

Recording media/file systems: microSD cards / microSDHC cards / microSDXC cards (up to 512 GB)

Recording/playback formats

WAV (BWF):

Sampling frequency: 44.1 kHz / 48 kHz / 96 kHz

Quantization bit depth: 16-bit / 24-bit / 32-bit float

MP3:

Sampling frequency: 44.1 / 48 kHz

Quantization bit depth: 32 / 64 / 96 / 128 / 192 / 256 / 320 kbps

Maximum number of input channels: 2

Maximum number of recordable tracks: 2

Analog audio input/output ratings

MIC/EXT IN jack (can provide plug-in power)

Connector: 3.5mm (1/8") stereo mini jack

Input Impedance:

- 18 k Ω or more (when plug-in power is turned off)
- 2 k Ω or more (when plug-in power is turned on)

Nominal input level: - 20 dBV

Maximum input level: -4 dBV

PHONES/LINE OUT jack

Connector: 3.5mm (1/8") stereo mini jack

Output impedance: 12 Ω

Nominal output level: - 14 dBV (10k Ω loaded)

Maximum output level: +2 dBV (10k Ω loaded)

Maximum output: 20 mW + 20 mW (32 Ω load)

b16 - 250 Ω

Built-in Speaker

Output: 0.3W (monaural)

USB

Connector: US B Type-C

Format:

- USB 2.0 High Speed Mass Storage Class
- USB 1.1 Full Speed Audio Class

USB Audio

Sampling rate: 44.1 / 48 kHz

Quantization bit depth: 24-bit

Number of inputs: 2 channels (output from this unit)

Number of outputs: 2 channels (input to this unit)

General

Power:

- 2AA batteries (alkaline or NiMH)
 - USB bus power (5V/0.5A) from a computer, etc.
 - TASCAM PS-P520U AC adapter (sold separately)
- v1.7 W (maximum)

Weight:

- 174 g / 0.384 lb (including batteries)
- 126 g / 0.278 lb (not including batteries)

Operating temperature range: 0 - 40 °C / 32 - 104 °F

Dimensions: 60.5 x 142.3 x 27 mm (W x H x D, including protrusions)

Included items:

- DR-05XP x1
- Safety guide (including warranty) x1
- TASCAM ID registration guide x1