

SVS SB-3000 REvolution Piano Gloss (komad) - aktivni subwoofer

Šifra: 00101
Kategorija proizvoda: Hi Fi Zvučnici
Proizvođač: SVS

Cena: 1.749,00 EUR



17-230
Expect
to mid-
Roll-off
take ma
room g

Subwoofer Specs:

Piano Gloss Black and Black Ash options
Front Firing 13-inch high-excursion driver
Amplifier Rear Panel OLED and control interface provide fast and direct control of the most important features and includes a convenient "Display Flip" function.
Protective non-resonant extra-thick ABS grille frame with fabric mesh cover shields driver to prevent damage while ensuring longevity.
Robust Medium Density Fiberboard (MDF) cabinet construction with internal bracing for resonance free performance at highest drive levels.
Screw-in Iso-elastomer feet reduce noise artifacts and improve stability

Driver Specs:

Proprietary 13-inch long-throw driver with high-precision tuned overhung motor configuration.
24.1lb (10.5kg) pound Woofer with 18.5lb (8.4kg) pounds motor
30.1mm Xmax, 72.9mm Xmech precision aligned excursion
SVS industry leading flat edge wound split-wind voice coil provides maximum magnetics at high excursion while reducing mass and improving overall driver efficiency. Built around a premium grade aluminum 2" former for maximum thermal conductivity
Two massive, dedicated toroidal Y30 ferrite magnets generate unparalleled levels of magnetic force to drive the highest levels of excursion, SPL, and start/go power for the deepest and most authoritative bass possible.

High density FEA-optimized Powder-coated cast aluminum basket provides unequalled levels of rigidity, tensile strength, and energy transference available from a subwoofer.

Amplifier Specs:

Massively powerful 1,200-watt continuous Class D design with over 4,000 watts of Peak Power.

50% Higher Continuous power output than previous generation

High resolution 295Mhz Analog Devices Audio DSP with double precision 56bit filtering, with over 5x the processing power of our previous subwoofers, the most advanced subwoofer processor available for perfect audio reproduction.

The Switch Mode Power Supply (SMPS) employs dual discrete 65Mhz PMUs (Power Management Unit) that work with the DSP to monitor amplifier output voltage and current, AC main input voltage and current, and numerous temperature sensors. This maximizes system performance and reliability under all operating conditions with optimal efficiency.

DSP runs real time complex power management algorithms, monitoring the real-time power, driver excursion, and current thousands of times per second. This allows the DSP to drive precisely regulated clean voltage, greatest headroom, and maximum current to push the driver's voice coil with optimized efficiency.

Advanced audiophile grade 56bit digital audio processing and premium DACs (Digital-to-Analog Converters) with more than 120 dB Signal-to-Noise Ratio provide greater headroom, lower noise, and flawless fidelity.

Discrete Class D amplifiers create effortless and endless power from four massive 60A 200V MOSFETs, resulting in lower EMI and highest efficiency while providing effortless power each voice coil, producing SPLs and low frequency output with pristine clarity well beyond reference listening levels.

All new Switch Mode Power Supply (SMPS) with a high-efficiently resonant LLC ensuring a consistent regulated

160V rail voltage for the amplifier.

< 0.05% THD+N at rated power (70% to 90% lower than previous generation), ensuring exacting signal integrity at all drive levels.

SVS App Specs:

Compatible with Apple iOS, Google Android, and Amazon Fire platforms, the industry leading SVS Subwoofer Control Smartphone app allows convenient and intuitive management of all subwoofer controls.

The Analog Devices DSP supports a comprehensive menu of functions, including volume, fully adjustable low pass filter, phase, polarity, six PEQs, room gain compensation, tuning modes, power management settings, and more.

Includes three convenient memory presets for fast and easy global system adjustments to match listener preferences.

Included Accessories:

Protective non-resonant extra-thick
ABS grille frame with fabric mesh
cover

Iso-elastomer feet

Extra heavy-duty, high current 6'
power cord

Quick Start Guide