

Audient iD24 - zvučna kartica

Šifra: 18440

Kategorija proizvoda: Zvučne kartice

Proizvođač: Audient

Cena: 332,00 EUR



Line Inputs

LINE GAIN:-10 to +48dB

MAXIMUM INPUT LEVEL:+22dBu

THD+N @0dBu 1kHz:0.0013%, -97dB

Microph

MIC GAI

MAXIMU

CROSST

THD+N

MIC EIN

CMRR: >

SNR: 97

D.I / Instr

FREQUE

INPUT I

INPUT I

PAD: -1

HPF CU

D.PICANTO

MAXIMUM

THD+N

SNR:95dB

FREQUEN

INPUT IM

1/4" JACK:TIP (Hot) & SLEEVE (Shield)

Analogue to Digital Converter

MAXIMUM INPUT LEVEL:12.5dBu=0dBFS

CROSSTALK:@1k -135dB, @10k -125dB

FREQUENCY RESPONSE:+/- 0.2dB 0.5dB 10Hz to Fs/2 (Nyquist)

THD+N @ -1dBFS (1kHz):0.0004%, -108dB

DYNAMIC RANGE:122dB A-weighted

INPUT IMPEDANCE:>10kΩ

1/4" JACK:TIP (Hot), RING (Cold) & SLEEVE (Shield)

Digital to Analogue Converter

MAXIMUM OUTPUT LEVEL:12dBu=0dBFS

THD+N @ 1kHz -1dBFS:0.0003%, -110dB

DYNAMIC RANGE:126.5dB A-weighted

CROSSTALK:-130dB @ 1kHz, -115dB @ 10kHz

FREQUENCY RESPONSE:+/- 0.1dB 10Hz to Fs/2

OUTPUT IMPEDANCE:<100Ω

1/4" JACK:TIP (Hot), RING (Cold) & SLEEVE (Shield)

Headphone Outputs

MAXIMUM OUTPUT LEVEL:18.5dBu=0dBFS

THD+N @ -1dBFS (1kHz):0.0006%, -104dB

DYNAMIC RANGE:124dB A-weighted

CROSSTALK:-117dB @ 1kHz, -101dB @ 10kHz

FREQUENCY RESPONSE:+/- 0.2dB 10Hz to Fs/2 (Nyquist)

OUTPUT IMPEDANCE:<50Ω unbalanced

MAX LEVEL INTO 30R:2.63V Peak, 1.87V RMS, 232mW

USB-C High Speed

MAX LEVEL INTO 60R:4.28V Peak, 3.03V RMS, 295mW

MAX LEVEL INTO 600R:7.91V Peak, 5.6V RMS, 104mW

NO. OF INPUT CHANNELS:10 (2 Analogue, 8 Digital)

NO. OF OUTPUT CHANNELS:14 (6 Analogue, 8 Digital)

CONNECTOR:USB Type-C

INCLUDED CABLES:1m USB 2.0 Type-C to Type-C

Digital Input

Digital Output

8-CHANNEL ADAT:44.1kHz to 48kHz

4-CHANNEL ADAT:88.2kHz to 96kHz (SMUX)
DSP Mixer Latency

STEREO S/PDIF44.1kHz to 96kHz (Stereo)

8-CHANNEL

Round Trip Latency

STEREO S/PDIF

44.1kHz:0.344ms
48kHz:0.312ms
88.2kHz:0.188ms
96kHz:0.177ms

Word Clock Output



WORD CLOCK OUTPUT:44.1kHz to 96kHz